


**AGJ 74° JIC Aussenkonus
(UNF-Gewinde) Interlock**

JIC male sv 74° interlock

**AGJ ниппель, наружный JIC
конус 74° interlock, UNF резьба**




Artikel Code	Schlauch / Hose			Gewinde / Thread	Abmessung / Dimension mm					Euro
	DN	Inch Inches	Size		F	-	CH	A	L	
KMJ1212	20	3/4"	12	1.1/16" - 12	-	-	27	38	100	6,10
KMJ1214	20	3/4"	12	1.3/16" - 12	-	-	32	39	101	15,88
KMJ1216	20	3/4"	12	1.5/16" - 12	-	-	34	39	101	14,79
KMJ1616	25	1"	16	1.5/16" - 12	-	-	34	40	112	8,47
KMJ1620	25	1"	16	1.5/8" - 12	-	-	42	42.5	114.5	21,92
KMJ2020	32	1.1/4"	20	1.5/8" - 12	-	-	42	44	132.5	13,00
KMJ2024	32	1.1/4"	20	1.7/8" - 12	-	-	50	51	139.5	24,74
KMJ2424	40	1.1/2"	24	1.7/8" - 12	-	-	50	51	144.5	18,47
KMJ3232	50	2"	32	2.1/2" - 12	-	-	-	-	-	38,28

DKJ 74° (UNF) + gestiftete Überwurfmutter Interlock

JIC female 74° thrust wired nut Interlock

DKJ ниппель, JIC конус 74°, interlock, гайка со штифтом, UNF резьба




5

Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			-	CH	A	L	
KFDJ1212	20	3/4"	12	1.1/16" - 12	-	-	32	20.5	82.5	6,84
KFDJ1214	20	3/4"	12	1.3/16" - 12	-	-	36	20.5	82.5	24,51
KFDJ1216	20	3/4"	12	1.5/16" - 12	-	-	41	20.5	82.5	22,40
KFDJ1616	25	1"	16	1.5/16" - 12	-	-	41	22	94	9,89
KFDJ1620	25	1"	16	1.5/8" - 12	-	-	50	26	98	32,80
KFDJ2020	32	1.1/4"	20	1.5/8" - 12	-	-	50	27.5	116	14,59
KFDJ2024	32	1.1/4"	20	1.7/8" - 12	-	-	55	29.5	118	37,76
KFDJ2424	40	1.1/2"	24	1.7/8" - 12	-	-	55	29.5	123	23,37
KFDJ3232	50	2"	32	2.1/2" - 12	-	-	70	33	131	28,13

DKJ 90° Bogen 74° Dichtkopf (UNF) + gestiftete Überwurfmutter Interlock

90° JIC female swept elbow
74° cone saet wired nut
Interlock

DKJ угловой ниппель 90°, JIC конус 74°, interlock, гайка со штифтом, UNF резьба




Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			CH	B	A	L	
KF90J1212	20	3/4"	12	1.1/16" - 12	-	32	58	51	113	12,68
KF90J1214	20	3/4"	12	1.3/16" - 12	-	36	61	51	113	39,82
KF90J1216	20	3/4"	12	1.5/16" - 12	-	41	62.5	51	113	34,03
KF90J1616	25	1"	16	1.5/16" - 12	-	41	69.5	70.5	142.5	18,55
KF90J1620	25	1"	16	1.5/8" - 12	-	50	78.5	70.5	142.5	43,89
KF90J2020	32	1.1/4"	20	1.5/8" - 12	-	50	91.5	87.5	176	26,22
KF90J2024	32	1.1/4"	20	1.7/8" - 12	-	55	99	87.5	176	60,16
KF90J2424	40	1.1/2"	24	1.7/8" - 12	-	55	112.5	99.5	193	38,59
KF90J3232	50	2"	32	2.1/2" - 12	-	-	-	-	-	64,01

**DKJ 45° Bogen 74° Dichtkopf
(UNF) + gestiftete Überwurf-
mutter Interlock**

**45° JIC female swept elbow
74° cone saet wired nut
Interlock**

**DKJ угловой ниппель 45°, JIC
конус 74°, interlock, гайка со
штифтом, UNF резьба**



Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			CH	B	A	L	
KF45J1212	20	3/4"	12	1.1/16" - 12	-	32	29	59.5	121.5	14,25
KF45J1214	20	3/4"	12	1.3/16" - 12	-	36	29	60.5	122.5	66,35
KF45J1216	20	3/4"	12	1.5/16" - 12	-	41	29	60.5	122.5	34,03
KF45J1616	25	1"	16	1.5/16" - 12	-	41	39.5	86	158	17,30
KF45J1620	25	1"	16	1.5/8" - 12	-	50	38.5	87	159	43,89
KF45J2020	32	1.1/4"	20	1.5/8" - 12	-	50	44	99.5	188	26,22
KF45J2024	32	1.1/4"	20	1.7/8" - 12	-	55	45	101.5	190	60,16
KF45J2424	40	1.1/2"	24	1.7/8" - 12	-	55	45	116.5	210	35,51
KF45J3232	50	2"	32	2.1/2" - 12	-	-	-	-	-	56,49