


AGJ 74° Aussenkonus (UNF-Gewinde)

JIC male 74°

AGJ ниппель, JIC конус 74°,
UNF резьба




Artikel Code	Schlauch / Hose			Gewinde / Thread		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			F	-	CH	A	
MJ0304	5	3/16"	03	7/16" - 20	-	-	12	27	51.5	1,48
MJ0305	5	3/16"	03	1/2" - 20	-	-	14	27	51.5	*
MJ0404	6	1/4"	04	7/16" - 20	-	-	12	27	55	0,88
MJ0405	6	1/4"	04	1/2" - 20	-	-	14	27	55	1,00
MJ0406	6	1/4"	04	9/16" - 18	-	-	15	28	56	1,03
MJ0505	8	5/16"	05	1/2" - 20	-	-	14	27	55	1,65
MJ0506	8	5/16"	05	9/16" - 18	-	-	15	28	56	1,03
MJ0507	8	5/16"	05	5/8" - 18	-	-	17	29.5	57.5	2,34
MJ0508	8	5/16"	05	3/4" - 16	-	-	19	29.5	57.5	1,97
MJ0606	10	3/8"	06	9/16" - 18	-	-	15	28	58	0,88
MJ0607	10	3/8"	06	5/8" - 18	-	-	17	29.5	59.5	2,05
MJ0608	10	3/8"	06	3/4" - 16	-	-	19	30.5	60.5	1,03
MJ0610	10	3/8"	06	7/8" - 14	-	-	24	34.5	64.5	1,74
MJ0808	12	1/2"	08	3/4" - 16	-	-	19	31	64	1,20
MJ0810	12	1/2"	08	7/8" - 14	-	-	24	35	68	1,54
MJ0812	12	1/2"	08	1.1/16" - 12	-	-	27	39.5	72.5	2,82
MJ1010	16	5/8"	10	7/8" - 14	-	-	24	35	71	1,45
MJ1012	16	5/8"	10	1.1/16" - 12	-	-	27	39.5	75.5	1,97
MJ1210	20	3/4"	12	7/8" - 14	-	-	-	-	-	2,83
MJ1212	20	3/4"	12	1.1/16" - 12	-	-	27	40.5	81.5	2,14
MJ1214	20	3/4"	12	1.3/16" - 12	-	-	32	41.5	82.5	4,10
MJ1216	20	3/4"	12	1.5/16" - 12	-	-	34	41.5	82.5	3,79

**AGJ 74° Aussenkonus
(UNF-Gewinde)**

JIC male 74°

**AGJ ниппель, JIC конус 74°,
UNF резьба**




Artikel Code	Schlauch / Hose			Gewinde / Thread		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			F	-	CH	A	
MJ1612	25	1"	16	1.1/16" - 12	-	-	-	-	-	11,34
MJ1616	25	1"	16	1.5/16" - 12	-	-	34	42.5	97.5	4,13
MJ1620	25	1"	16	1.5/8" - 12	-	-	42	45	100	7,72
MJ2020	32	1.1/4"	20	1.5/8" - 12	-	-	42	45.5	106	8,64
MJ2024	32	1.1/4"	20	1.7/8" - 12	-	-	50	52.5	113	12,31
MJ2424	40	1.1/2"	24	1.7/8" - 12	-	-	50	52.5	123.5	13,14
MJ3232	50	2"	32	2.1/2" - 12	-	-	-	-	-	28,57

DKJ 74° Dichtkopf (UNF-Gewinde)

JIC female 74° cone seat

DKJ ниппель, JIC конус 74°,
уплотняющее соединение,
UNF резьба




Artikel Code	Schlauch / Hose			Gewinde / Thread		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			F	-	CH	A	
FDJ0304	5	3/16"	03	7/16" - 20	-	-	15	15	40	1,20
FDJ0305	5	3/16"	03	1/2" - 20	-	-	17	15	40	1,33
FDJ0404	6	1/4"	04	7/16" - 20	-	-	15	15	43	0,77
FDJ0405	6	1/4"	04	1/2" - 20	-	-	17	16	44	0,86
FDJ0406	6	1/4"	04	9/16" - 18	-	-	19	16	44	0,83
FDJ0505	8	5/16"	05	1/2" - 20	-	-	17	16	44	1,37
FDJ0506	8	5/16"	05	9/16" - 18	-	-	19	16	44	0,97
FDJ0507	8	5/16"	05	5/8" - 18	-	-	22	17	45	2,14
FDJ0508	8	5/16"	05	3/4" - 16	-	-	24	17	45	1,37
FDJ0606	10	3/8"	06	9/16" - 18	-	-	19	16.5	46.5	0,91
FDJ0607	10	3/8"	06	5/8" - 18	-	-	22	17	47	1,80
FDJ0608	10	3/8"	06	3/4" - 16	-	-	24	17	47	1,20
FDJ0610	10	3/8"	06	7/8" - 14	-	-	27	18.5	48.5	1,65
FDJ0808	12	1/2"	08	3/4" - 16	-	-	24	18	51	1,31
FDJ0810	12	1/2"	08	7/8" - 14	-	-	27	19	52	1,43
FDJ0812	12	1/2"	08	1.1/16" - 12	-	-	32	22	55	2,96
FDJ1010	16	5/8"	10	7/8" - 14	-	-	27	19.5	55.5	1,77
FDJ1012	16	5/8"	10	1.1/16" - 12	-	-	32	22.5	58.5	2,14
FDJ1210	20	3/4"	12	7/8" - 14	-	-	-	-	-	*
FDJ1212	20	3/4"	12	1.1/16" - 12	-	-	32	23	64	2,48
FDJ1214	20	3/4"	12	1.3/16" - 12	-	-	36	23	64	4,53
FDJ1216	20	3/4"	12	1.5/16" - 12	-	-	41	23	64	4,05

**DKJ 74° Dichtkopf
(UNF-Gewinde)**

JIC female 74° cone seat

**DKJ ниппель, JIC конус 74°,
уплотняющее соединение,
UNF резьба**




Artikel Code	Schlauch / Hose			Gewinde / Thread F	Abmessung / Dimension mm					Euro
	DN	Inch Inches	Size		-	CH	A	L		
FDJ1612	25	1"	16	1.1/16" - 12	-	-	-	-	-	7,72
FDJ1616	25	1"	16	1.5/16" - 12	-	-	41	24.5	79.5	4,05
FDJ1620	25	1"	16	1.5/8" - 12	-	-	50	28.5	83.5	8,38
FDJ2020	32	1.1/4"	20	1.5/8" - 12	-	-	50	29	90	7,50
FDJ2024	32	1.1/4"	20	1.7/8" - 12	-	-	55	31	92	18,07
FDJ2424	40	1.1/2"	24	1.7/8" - 12	-	-	55	31	102	12,34
FDJ3232	50	2"	32	2.1/2" - 12	-	-	70	33	104	*

DKJ 90° Bogen 74° JIC Dichtkopf (UNF)

90° JIC female swept elbow
74° cone seat

DKJ угловой ниппель 90°,
JIC конус 74°, уплотняющее
соединение, UNF резьба




3

Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			CH	B	A	L	
F90J0304	5	3/16"	03	7/16" - 20	-	15	26	23	47.5	2,48
F90J0305	5	3/16"	03	1/2" - 20	-	17	27	23	47.5	4,28
F90J0404	6	1/4"	04	7/16" - 20	-	15	26	23	51	1,57
F90J0405	6	1/4"	04	1/2" - 20	-	17	27	23	51	1,54
F90J0406	6	1/4"	04	9/16" - 18	-	19	27	23	51	1,74
F90J0505	8	5/16"	05	1/2" - 20	-	17	32	31.5	59.5	2,62
F90J0506	8	5/16"	05	9/16" - 18	-	19	32	31.5	59.5	1,82
F90J0507	8	5/16"	05	5/8" - 18	-	22	32.5	31.5	59.5	4,28
F90J0508	8	5/16"	05	3/4" - 16	-	24	32.5	31.5	59.5	2,88
F90J0606	10	3/8"	06	9/16" - 18	-	19	35	33	63	1,74
F90J0607	10	3/8"	06	5/8" - 18	-	22	35.5	33	63	3,79
F90J0608	10	3/8"	06	3/4" - 16	-	24	36.5	33	63	2,22
F90J0610	10	3/8"	06	7/8" - 14	-	27	39.5	33	63	3,93
F90J0808	12	1/2"	08	3/4" - 16	-	24	41	39	72	2,59
F90J0810	12	1/2"	08	7/8" - 14	-	27	42.5	39	72	2,65
F90J0812	12	1/2"	08	1.1/16" - 12	-	32	50	39	72	6,73
F90J1010	16	5/8"	10	7/8" - 14	-	27	50	49	85	3,53
F90J1012	16	5/8"	10	1.1/16" - 12	-	32	55	49	85	4,59
F90J1210	20	3/4"	12	7/8" - 14	-	-	-	-	-	*
F90J1212	20	3/4"	12	1.1/16" - 12	-	32	58	53.5	94.5	5,10
F90J1214	20	3/4"	12	1.3/16" - 12	-	36	61	53.5	94.5	9,69
F90J1216	20	3/4"	12	1.5/16" - 12	-	41	62.5	53.5	94.5	9,86

**DKJ 90° Bogen 74° JIC
Dichtkopf (UNF)**

90° JIC female swept elbow
74° cone seat

DKJ угловой ниппель 90°,
JIC конус 74°, уплотняющее
соединение, UNF резьба




Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			CH	B	A	L	
F90J1612	25	1"	16	1.1/6" - 12	-	-	-	-	-	19,72
F90J1616	25	1"	16	1.5/16" - 12	-	41	69.5	73	128	8,38
F90J1620	25	1"	16	1.5/8" - 12	-	50	78.5	73	128	19,07
F90J2020	32	1.1/4"	20	1.5/8" - 12	-	50	91.5	89	150	17,67
F90J2024	32	1.1/4"	20	1.7/8" - 12	-	55	99	89	150	33,43
F90J2424	40	1.1/2"	24	1.7/8" - 12	-	55	112.5	101	172	31,72
F90J3232	50	2"	32	2.1/2" - 12	-	-	-	-	-	*

**DKJ 45° Bogen 74° JIC
Dichtkopf (UNF)**

45° JIC female swept elbow
74° cone seat

DKJ угловой ниппель 45°,
JIC конус 74°, уплотняющее
соединение, UNF резьба




3

Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			CH	B	A	L	
F45J0304	5	3/16"	03	7/16" - 20	-	15	15	38	63	2,59
F45J0305	5	3/16"	03	1/2" - 20	-	17	17	40	65	4,45
F45J0404	6	1/4"	04	7/16" - 20	-	15	15	38	66	1,65
F45J0405	6	1/4"	04	1/2" - 20	-	17	17	40	68	1,63
F45J0406	6	1/4"	04	9/16" - 18	-	19	16.5	39.5	67.5	1,80
F45J0505	8	5/16"	05	1/2" - 20	-	17	17	40	68	2,71
F45J0506	8	5/16"	05	9/16" - 18	-	19	18.5	49.5	77.5	1,91
F45J0507	8	5/16"	05	5/8" - 18	-	22	19	50	80	4,53
F45J0508	8	5/16"	05	3/4" - 16	-	24	19.5	50.5	78.5	3,05
F45J0606	10	3/8"	06	9/16" - 18	-	19	18	53	83	1,68
F45J0607	10	3/8"	06	5/8" - 18	-	22	19	54	84	3,99
F45J0608	10	3/8"	06	3/4" - 16	-	24	19	54	84	2,31
F45J0610	10	3/8"	06	7/8" - 14	-	27	21	56	86	4,16
F45J0808	12	1/2"	08	3/4" - 16	-	24	20	62	95	2,71
F45J0810	12	1/2"	08	7/8" - 14	-	27	21	63	97	2,79
F45J0812	12	1/2"	08	1.1/16" - 12	-	32	22	64	97	7,07
F45J1010	16	5/8"	10	7/8" - 14	-	27	22	60	96	3,71
F45J1012	16	5/8"	10	1.1/16" - 12	-	32	25	63	99	4,85
F45J1210	20	3/4"	12	7/8" - 14	-	-	-	-	-	*
F45J1212	20	3/4"	12	1.1/16" - 12	-	32	29	62	103	5,34
F45J1214	20	3/4"	12	1.3/16" - 12	-	36	29	63	103	10,18
F45J1216	20	3/4"	12	1.5/16" - 12	-	41	29	63	103	10,37

**DKJ 45° Bogen 74° JIC
Dichtkopf (UNF)**

45° JIC female swept elbow
74° cone seat

DKJ угловой ниппель 45°,
JIC конус 74°, уплотняющее
соединение, UNF резьба




Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			CH	B	A	L	
F45J1612	25	1"	16	1.1/16" - 12	-	-	-	-	-	20,69
F45J1616	25	1"	16	1.5/16" - 12	-	41	39.5	88.5	143.5	8,81
F45J1620	25	1"	16	1.5/8" - 12	-	50	38.5	89.5	147.5	20,04
F45J2020	32	1.1/4"	20	1.5/8" - 12	-	50	44	101	162	18,58
F45J2024	32	1.1/4"	20	1.7/8" - 12	-	55	45	103	164	35,08
F45J2424	40	1.1/2"	24	1.7/8" - 12	-	55	45	118	189	33,29
F45J3232	50	2"	32	2.1/2" - 12	-	-	-	-	-	*

**DKJ 74° Dichtkopf
(UNF-Gewinde) + gestiftete
Überwurfmutter**

JIC female 74° cone seat
with thrust wire nut

DKJ ниппель, JIC конус
74°, гайка со штифтом, UNF
резьба




Artikel Code	Schlauch / Hose			Gewinde / Thread		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			F	-	CH	A	
FDJ1012SP	16	5/8"	10	1.1/16" - 12	-	-	32	22.5	58.5	*
FDJ1212SP	20	3/4"	12	1.1/16" - 12	-	-	32	23	64	*
FDJ1216SP	20	3/4"	12	1.5/16" - 12	-	-	41	23.5	64.5	*
FDJ1616SP	25	1"	16	1.5/16" - 12	-	-	41	24.5	79.5	*
FDJ1620SP	25	1"	16	1.5/8" - 12	-	-	50	28.5	83.5	*
FDJ2020SP	32	1.1/4"	20	1.5/8" - 12	-	-	50	29	89.5	*
FDJ2024SP	32	1.1/4"	20	1.7/8" - 12	-	-	55	31	91.5	*
FDJ2424SP	40	1.1/2"	24	1.7/8" - 12	-	-	55	31	102	*
FDJ2432SP	40	1.1/2"	24	2.1/2" - 12	-	-	70	31.5	102.5	*
FDJ3232SP	50	2"	32	2.1/2" - 12	-	-	70	-	-	34,57

**DKJ 90° Bogen 74° JIC
Dichtkopf (UNF) + gestiftete
Überwurfmutter**

90° JIC female swept elbow
74° cone seat with thrust
wire nut

DKJ угловой ниппель 90°, JIC
конус 74°, гайка со штифтом,
UNF резьба




Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			CH	B	A	L	
F90J1012SP	16	5/8"	10	1.1/16" - 12	-	32	55	49	85	*
F90J1212SP	20	3/4"	12	1.1/16" - 12	-	32	58	53.5	94.5	*
F90J1216SP	20	3/4"	12	1.5/16" - 12	-	41	62.5	53.5	94.5	*
F90J1616SP	25	1"	16	1.5/16" - 12	-	41	69.5	73	128	8,38
F90J1620SP	25	1"	16	1.5/8" - 12	-	50	78.5	73	128	*
F90J2020SP	32	1.1/4"	20	1.5/8" - 12	-	50	91.5	89	150	*
F90J2024SP	32	1.1/4"	20	1.7/8" - 12	-	55	99	89	150	*
F90J2424SP	40	1.1/2"	24	1.7/8" - 12	-	55	112.5	101	172	*
F90J2432SP	40	1.1/2"	24	2.1/2" - 12	-	70	-	-	-	*
F90J3232SP	50	2"	32	2.1/2" - 12	-	70	-	-	-	61,50

**DKJ 45° Bogen 74° JIC
Dichtkopf (UNF) + gestiftete
Überwurfmutter**

45° JIC female swept elbow
74° cone seat with thrust
wire nut

DKJ угловой ниппель 45°, JIC
конус 74°, гайка со штифтом,
UNF резьбой




3

Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			CH	B	A	L	
F45J1012SP	16	5/8"	10	1.1/16" - 12	-	32	25	63	99	*
F45J1212SP	20	3/4"	12	1.1/16" - 12	-	32	29	62	103	*
F45J1216SP	20	3/4"	12	1.5/16" - 12	-	41	29	63	103	*
F45J1616SP	25	1"	16	1.5/16" - 12	-	41	39.5	88.5	143.5	*
F45J1620SP	25	1"	16	1.5/8" - 12	-	50	38.5	89.5	147.5	*
F45J2020SP	32	1.1/4"	20	1.5/8" - 12	-	50	44	101	162	*
F45J2024SP	32	1.1/4"	20	1.7/8" - 12	-	55	45	103	164	*
F45J2424SP	40	1.1/2"	24	1.7/8" - 12	-	55	45	118	189	*
F45J2432SP	40	1.1/2"	24	2.1/2" - 12	-	70	-	-	-	*
F45J3232SP	50	2"	32	2.1/2" - 12	-	70	-	-	-	61,50

DKJ 74° Konus mit Kontersechskant

JIC female 74° cone seat
double exagon

DKJ ниппель, JIC конус 74° с
контр - гайкой



Artikel Code	Schlauch / Hose			Gewinde / Thread F		Abmessung / Dimension mm				Euro
	DN	Inch Inches	Size			CH ₁	CH ₂	A	L	
FDJ0404GIR	6	1/4"	04	7/16" - 20	-	14	15	23.5	51.5	1,82
FDJ0405GIR	6	1/4"	04	1/2" - 20	-	14	17	24	52	2,11
FDJ0406GIR	6	1/4"	04	9/16" - 18	-	17	19	25.7	53.7	2,11
FDJ0506GIR	8	5/16"	05	9/16" - 18	-	17	19	25.2	53.2	2,22
FDJ0606GIR	10	3/8"	06	9/16" - 18	-	17	19	25.2	55.2	2,22
FDJ0608GIR	10	3/8"	06	3/4" - 16	-	19	24	27.3	57.3	2,77
FDJ0808GIR	12	1/2"	08	3/4" - 16	-	22	24	27.8	60.8	2,96
FDJ0810GIR	12	1/2"	08	7/8" - 14	-	22	27	29.5	62.5	3,71
FDJ1010GIR	16	5/8"	10	7/8" - 14	-	24	27	29.5	65.5	4,70
FDJ1012GIR	16	5/8"	10	1.1/16" - 12	-	27	32	32.5	68.5	5,47
FDJ1212GIR	20	3/4"	12	1.1/16" - 12	-	27	32	35	76	4,79
FDJ1616GIR	25	1"	16	1.5/16" - 12	-	32	41	36	91	7,78